House File 542 - Introduced

HOUSE FILE BY BUKTA, GASKILL, FICKEN, BURT, BEARD, MAREK, T. TAYLOR, and THOMAS

Passed	House,	Date		Passed	Senate,	Date		
Vote:	Ayes _		Nays	Vote:	Ayes _		Nays	
Approved					_		-	

A BILL FOR

1 An Act relating to boiler and pressure vessel inspections and the boiler and pressure vessel board that oversees the inspections.

4 BE IT ENACTED BY THE GENERAL ASSEMBLY OF THE STATE OF IOWA:

5 TLSB 2204YH 83

6 ak/rj/14

PAG LIN

1

1

1

1

1

1 10

1 16

1 21

1 1

1

2 2

2

2

2

34

5 1

DIVISION I

BOILER AND PRESSURE VESSEL INSPECTIONS

Section 1. Section 89.2, Code 2009, is amended by adding 4 the following new subsection:

NEW SUBSECTION. 5A. "Object" means a boiler or pressure 6 vessel.

Sec. 2. Section 89.3, subsections 4 and 5, Code 2009, are 8 amended by striking the subsections and inserting in lieu thereof the following: 9

- 4. a. An object that meets all of the following criteria 11 shall be inspected at least once every two years internally 1 12 and externally while not under pressure, and at least once 1 13 every two years externally while under pressure, unless the 1 14 commissioner determines that an earlier inspection is 1 15 warranted.
- (1) The object is a boiler with one hundred thousand 1 17 pounds per hour or more capacity, or the object is an unfired 1 18 steam pressure vessel or a regulated appurtenance that is part 1 19 of the same system as a boiler with one hundred thousand 1 20 pounds per hour or more capacity.
- 21 (2) The object contains only water subject to internal 22 continuous water treatment under the direct supervision of a 1 23 graduate engineer or chemist, or one having equivalent
- 1 24 experience in the treatment of boiler water.
 1 25 (3) The water treatment is for the purpose of controlling
 1 26 and limiting serious corrosion and other deteriorating 1 27 factors.
 - 28 b. The owner or user of an object meeting the criteria in 29 paragraph "a" shall do the following: 30 (1) At any time the commissioner, a special inspector, or
- 1 31 the supervisor of water treatment deems a hydrostatic test is 32 necessary to determine the safety of an object, conduct the 33 test under the supervision of the commissioner.
 - (2) Keep available for examination by the commissioner 35 accurate records showing the date and actual time the object is out of service and the reason it is out of service.
 - (3) Keep available for examination by the commissioner 3 chemical physical laboratory analyses of samples of the object 4 water taken at regular intervals of not more than forty=eight 5 hours of operation as will adequately show the condition of 6 the water and any elements or characteristics of the water 7 which are capable of producing corrosion or other 8 deterioration of the object or its parts.
- 5. a. An object that meets the following criteria shall 10 be inspected at least once each year externally while under 11 pressure and at least once every four years internally while 2 12 not under pressure, unless the commissioner determines an 2 13 earlier inspection is warranted.
- 2 14 (1) The object is a boiler with one hundred thousand 2 15 pounds per hour or more capacity, or the object is an unfired 2 16 steam pressure vessel or a regulated appurtenance that is part 2 17 of the same system as a boiler with one hundred thousand

2 18 pounds per hour or more capacity.

(2) The object contains only water subject to internal 2 20 continuous water treatment under the direct supervision of a 2 21 graduate engineer or chemist, or one having equivalent 2 22 experience in the treatment of boiler water.

2 23 (3) The water treatment is for the purpose of controlling 24 and limiting serious corrosion and other deteriorating

25 factors.

2

2

2 2

3 5

3

3

3

3 15

3 16

3 17

3 19

3 21

3 22

3 26

3 31

4

4

4

4

4 6 4 7

4 8

4

4 11

4 15

4 16

4 17

(4) The owner or user is a participant in good standing in 27 the Iowa occupational safety and health voluntary protection 28 program and have achieved star status within the program, 2 29 which is administered by the division of labor in the 30 department of workforce development.

31 b. The owner or user of an object that meets the criteria 32 in paragraph "a" shall do the following:

(1) At any time the commissioner, a special inspector, or 34 the supervisor of the water treatment deems a hydrostatic test 35 necessary to determine the safety of an object, conduct the test under the supervision of the commissioner.

(2) Keep available for examination by the commissioner accurate records showing the date and actual time the object 4 is out of service and the reason it is out of service.

(3) Arrange for an internal inspection of the object 6 during each planned outage by a special inspector or the

commissioner.

(4) Keep for examination by the commissioner accurate 9 records showing the chemical physical laboratory analyses of 3 10 samples of the object's water taken at regular intervals of 3 11 not more than forty=eight hours of operation adequate to show 3 12 the condition of the water and any elements or characteristics 13 of the water that are capable of producing corrosion or other 3 14 deterioration of the object or its parts.

DIVISION II

BOILER AND PRESSURE VESSEL BOARD

Sec. 3. Section 89.14, subsection 2, Code 2009, is amended 3 18 to read as follows:

2. The boiler and pressure vessel board is composed of 3 20 nine members, one of whom shall be the as follows:

The commissioner or the commissioner's designee.

The remaining following eight members who shall be 3 23 appointed by the governor, subject to confirmation by the 3 24 senate, to four=year staggered terms beginning and ending as 3 25 provided in section 69.19.

(1) One member shall be a special inspector who is 27 employed by an insurance company that is licensed and actively 3 28 writing boiler and machinery insurance in this state and who 3 29 is commissioned to inspect boiler and pressure vessels in this 30 state, two members.

(2) One member shall be appointed from a certified 3 32 employee organizations, one of whom organization and shall 3 33 represent steamfitters, two.
3 34 (3) One member shall be appointed from a certified

employee organization and shall represent boilermakers.

- (4) Two members shall be mechanical engineers who regularly practice in the area of boilers and pressure vessels, one.
- (5) One member shall be a boiler and pressure vessel 5 distributor in this state, one.
 - (6) One member shall represent boiler and pressure vessel manufacturers, and one.
- (7) One member shall be a mechanical contractor engaged in the business of installation, renovation, and repair of 4 10 boilers and pressure vessels.

EXPLANATION

This bill under Code section 89.3(4) is unchanged in 4 13 content and covers boilers and certain pressure vessels that 4 14 are inspected at least once every two years internally and externally while not under pressure, and at least once every two years externally while under pressure.

The bill under Code section 89.3(5) allows certain boilers 4 18 and pressure vessels to extend from two years to four years 4 19 the internal inspection schedule if the owner or user is a 4 20 participant in good standing in the division of labor in the 4 21 department of workforce's Iowa occupational safety and health 22 voluntary protection program and have achieved star status 4 23 within the program.

The bill also alters the membership of the boiler and 25 pressure vessel board by requiring one member to represent 26 boilermakers from a certified employee organization. The 4 27 board keeps the same number of members by reducing the current 4 28 two members representing steamfitters from certified employee

- 4 29 organizations to just one representative. 4 30 LSB 2204YH 83 4 31 ak/rj/14